				
L Number	Hits	Search Text	DB	Time stamp
1	38	(data adj storage adj format) and (different adj data adj format)	USPAT; US-PGPUB; EPO; JPO;	2004/06/25 13:38
			DERWENT;	
2	21	((data adj storage adj format) and (different adj data adj format)) and (convert\$3 or conversion or translat\$4 or interpret\$4) near2 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 13:39
3	35	((data adj storage adj format) and (different adj data adj format)) and (convert\$3 or conversion or translat\$4 or interpret\$4) near9 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 13:39
4	11	(((data adj storage adj format) and (different adj data adj format)) and (convert\$3 or conversion or translat\$4 or interpret\$4) near9 data) and file adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 13:39
5	0	((((data adj storage adj format) and (different adj data adj format)) and (convert\$3 or conversion or translat\$4 or interpret\$4) near9 data) and file adj system) and archiv44	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 13:39
6	4	((((data adj storage adj format) and (different adj data adj format)) and (convert\$3 or conversion or translat\$4 or interpret\$4) near9 data) and file adj system) and archiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 13:40
7	1	((((data adj storage adj format) and (different adj data adj format)) and (convert\$3 or conversion or translat\$4 or interpret\$4) near9 data) and file adj system) and archiving adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/25 13:40
8 .	1	((((data adj storage adj format) and (different adj data adj format)) and (convert\$3 or conversion or translat\$4 or interpret\$4) near9 data) and file adj system) and archiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 13:40
9	2	(((data adj storage adj format) and (different adj data adj format)) and (convert\$3 or conversion or translat\$4 or interpret\$4) near9 data) and archiving adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/25 13:40

	Time stamp
	DB 2004/06/25 11.11
Hits Search Text Number 18534 (retriev\$4 or extract\$4) near9 ((data adj storage) or (storage)	US-PGPUB;
Hits Search Text	EPO; JPO;
Hits Seator Seator Number 18534 (retriev\$4 or extract\$4) hears (DERWENT;
ad mount	7004
· ·	age USPAT,
((data adj storage) or (sta	idj EPO; JPO;
(restriev\$4 or extract\$4) near (different adj	DERWENT;
l adi Illedia///	
1 101110101//	rade O - anile:
formats!)) ((retriev\$4 or extract\$4) near9 ((data adj storage) or (storage) adj media))) and ((data adj format) or (different adj data adj media))) near9 storage	orage US-PGPUB; US-PGPUB; EPO; JPO;
or extract\$4) near9 ((different ad) data	DERWENT;
274 ((retrieved))) and ((data au) to the	DERVICE 18M TDB 2004/06/25 11:16
adj media))) and (udda adj media))) near9 storage	USPAT;
(data adi storage)	storage US-PGPUB;
(((retriev\$4 or extract\$4) near9 ((data adj storage) or (data adj storage) or (data adj storage) or (data adj storage) or (data adj storage) and (data adj storage) and (data adj storage) and (data adj storage) or (data a	ta adj EPO; JPO; DERWENT;
0 (((retriev\$4 or or translation)) and ((data adj format) and (((interpret\$4 or translation)) near	19 DERWENT 2004/06/25 11:17
and the start of t	7004/001
4 (((retrievs of the control of the	(storage US-PGPUB;
formats!)) near9 storage) or convert\$4 or convert\$4 or convert\$4) near9 ((data adj storage) or sotrage) (((retriev\$4 or extract\$4) near9 ((data adj storage) or (different adj data))) and ((data adj format) or (different adj data))) and ((data adj format) or (different adj data))) near9 storage) and (((interpret\$4 or transladj media))) near9 storage) near3 (data or format)) sail	lata adj EPO; JPO; DERWENT;
sotrage) sotrage) (((retriev\$4 or extract\$4) near9 ((data adj different adj differen	me DERWENT 2004/06/25 10:55
adi lilediani	1000= 1 2004/0000
5 (((retrievs 4 or transial)) and ((data adj formats)) and ((data adj formats)) said (material) said (formats)) near9 storage) and (((interpret 4 or transial) said (data or formats)) said (convert 4 or conversion) near3 (data adj storage) (data adj storage) (data adj storage)	or (storage US-PGPUB;
sotrage) sotract\$4) near9 ((data au) steent adj	data adj EPO; JPO;
formats!)) near9 storage) convert\$4 or conversion) near3 (data of vocation of convert\$4 or conversion) near9 ((data adj storage) sotrage) (((retriev\$4 or extract\$4) near9 ((data adj format) or (different adj media))) and ((data adj format) or (different adj media))) near9 storage) and ((interpret\$4 or transformats!)) near9 storage) and (data or format))	Slat\$5 or DERWENT; DERWENT; IBM_TDB 2004/06/25 10:56
adi lilediani, and ctorade) and " (1-to or torillar)	1011-
torillate.)	(storage Oo - on IR:
convert\$4 or convert\$4) near9 ((data adj storage) (((retriev\$4 or extract\$4) near9 ((data adj storage) (((retriev\$4 or extract\$4) near9 ((different adj media))) and ((data adj format) or traditional) adj media))) near9 storage) and (((interpret\$4 or traditional)) near3 (data or format))	dj data adj EPO; JPO;
((((retriev\$4 or extract\$4) near9 ((data adj format) or (different adj adj media))) and ((data adj format) or (different adj adj media))) near9 storage) and (((interpret\$4 or tra formats!)) near9 storage) and ((data or format))	anslat\$5 or DERWENT; DERWENT; BM_TDB 2004/06/25 11:13
an income of charge and the contraction	100-
tormais://	(storage US: - on IR:
formats!)) near9 storage) near3 (data or remains) near3 (data adj storage) ((((retriev\$4 or extract\$4) near9 (((interpret\$4 or tadj media))) and ((data adj format)) near3 (data or format) near3 (data or format)	adj data adj EPO; JPO;
5 ((((retriev\$4 or extraor adj format) or (unit)	translat\$5 or DERWENT;
an incom, a storage and with a or torillar	0) 11 1011-1-10104/00/
torillato.)	oj ion (storage) Ooi anule:
convert\$4 or convert\$4) and (different ad) store (request\$3 or type))) and (different ad) store (request\$3 or type))) and ((data ad) store ((((retriev\$4 or extract\$4) near9 or (different ad) ad) format) or (different ad) store ((((retriev\$4 or extract\$4) near9 or extract\$4))) near9 storage) and (((interpret\$4 or extract\$4))) near9 storage) near3 (data or formats))	adj data adj EPO; JPO; EPO; JPO;
(request\$3 or type/); (alta difference (((((retriev\$4 or extract\$4) near9 ((data adj format) or (difference (((((retriev\$4 or extract\$4) near9 and (((interpret\$4 or conversion) near3 (data or formats!)) near9 storage) and (different adj data	r translat\$5 or DERWENT;
9 ((((retrievation in and ((data adj rottina))) and ((data adj rottina)) and ((data adj rottina)) and ((interpret\$4 or enversion) near3 (data or form convert\$4 or conversion) near3 (data or form convert\$4 or conversion) and (different adj data convert\$3 or type))) and (different adj data)	(at)) near6 adj formats!) IBM_TDB 2004/06/25 11:19
totiliato.	20) 1
CONVERT CONTRACTOR	1
(convertist or type))) and (unito and interest of type))) and (unito and interest of type))) and (unito and interest of type)) and (unito and interest of type) and (unito and in	id (data adj format) EPO; JPO;
convert\$4 or converts(different adjusters) and (different adjusters) and (different adjusters) and (different adjusters) and (data adjusters) and (data adjusters) and (different adjusters) and (different adjusters) and adjusters) and (different adjusters) and adjusters and adjuster	DERWENT; IBM_TDB 2004/06/25 11:17
ad mode,	10
	or (storage UC PGPUB;
0 (((retriev\$4 or extract\$4) near9 ((data adj s adj media))) and (different adj2 formats!) add media))) and (((interpret\$4 or translat\$5 or	and (data adj EPO; JPO;
((((retriev\$4 or extract\$4) near9 ((orants!) a adj media))) and (different adj2 formats!) a adj media))) and ((((interpret\$4 or translat\$5 or format)) and ((((interpret\$4 or translat\$5 or format)) near3 data) near9 sotrage)	r convert\$4 or DERWENT;
ad media, winternfelator and	100-1
formation) near3 data) near3	or (storage US PGPUB;
format)) and (((interprets 4 or extracts 4) near9 sofrage) conversion) near3 data) near9 sofrage) (((retriev\$4 or extract\$4) near9 ((data adj	and (data adj EPO; JPO;
100 (((retriev\$4 or extraode y adj2 formals))	or convert\$4 or DERWENT;
adi illediam, materniela of the man	ne storage) 101v 7004/00/20
formati) near3 (data of formati)	or (storage USF)
conversion,	dj storago, sadi
conversion) near (((ata a a (((retriev\$4 or extract\$4) near (((retriev\$4 or extract\$4) near (((ata a a ((((retriev\$4 or extract\$4) near adj2 formats adj media))) and (((interpret\$4 or translat\$5 format)) near 3 data) near 9 storage	5 or convert\$4 or DERWENT;
adj media))) and (dinerpret\$4 or translats)	5 or converte
adj media))) and (((interpret\$4 or trainstate format)) and (((interpret\$4 or trainstate format)) and ((interpret\$4 or t	
COUNCIDENT	
Page 1	

4 16	`		(Abrego edi	USPAT;	2004/06/25 11:19
ſ	14\	2434	(retriev\$4 or extract\$4) adj ((data adj storage) or (storage adj	US-PGPUB;	
1		i	media))	EPO; JPO;	
1	ł			DERWENT;	
	45	150	((retriev\$4 or extract\$4) adj ((data adj storage) or (storage adj	IBM_TDB USPAT;	2004/06/25 11:19
	15	130	media))) and (((interpret\$4 or translat\$5 or convert\$4 or conversion) near3 data) near9 storage)	US-PGPUB; EPO; JPO; DERWENT;	
	16	7	(((retriev\$4 or extract\$4) adj ((data adj storage) or (storage adj media))) and (((interpret\$4 or translat\$5 or convert\$4 or conversion) near3 data) near9 storage)) and (different adj2	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/25 11:19
			formats!) and (data adj format)	DERWENT; IBM_TDB	

2004/06/25 200	L Number	Hits	Search Text	DB	Time stamp
- 31 (archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 2004/06/25 2004/06/2) -				2004/06/25 11:34
- 31 (archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 - 0 (archiv\$4 and (file adj system) and operations!) and files! USPAT; US-PGPUB; EPC; JPO; DERWENT; IBM_TDB USPAT; U	<u> </u>	2000	aromotivama (mo daj oyotom) ama oporanomo.		
- 31 (archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 - 0 (archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image - 20 (archiv\$4 and (file adj system) and operations!) and files! SPAT. US-PGPUB; EPC, JPC, DERWENT. IBM, TDB USPAT. US-PGPUB; EPC, JPC, DERWENT. IBM, TD					
Carchiv\$4 and (file adj system) and operations!) and files! same reformat\$4 SPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB USPAT; US-PGPUB; EPO; JPO; DERWE					
2004/06/25 same reformat\$4 and (file adj system) and operations!) and files! same reformat\$4 and (file adj system) and operations!) and files! same reformat\$4 and (file adj system) and operations!) and files! same reformat\$4 and (file adj system) and operations!) and files! same reformat\$4 and (file adj system) and operations!) and files! same reformat\$4 and (file adj system) and operations!) and files! same reformat\$4 and (file adj system) and operations!) and files! same reformat\$4 and interpret\$4) 200 ((archiv\$4 and (file adj system)) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) 201 ((archiv\$4 and (file adj system)) near4 operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) 202 ((archiv\$4 and (file adj system)) near4 operation 203 (archiv\$4 and (file adj system)) near4 operations! 204/06/25 SPAT: US.P.GPUB: EPO. JPO: DERWENT: IBM_TDB USPAT: US.P.GPUB: EPO. JPO: DERWENT: IBM_TDB USPAT					
Same reformat\$4 US-PGPUB; EPO_JPO; DERWENT; IBM_TDB USPAT; U		31	(archiv\$4 and (file adi system) and operations!) and files!		2004/06/25 11:29
- 0 (archiv\$4 and (file adj system) and operations!) and files! Same reformat\$4 and format\$4 and image USPAT: USPGPUB; EPO, JPO; DERWENT; IBM TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; U		٠.			200 1,700,20 1 112
- 0 (archiv\$4 and (file adj system) and operations!) and files! USPAT: USPGPUB; EPO: JPO: DERWENT; IBM TDB USPA			ouring rotormator		
- 0 (archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format44 and image - 20 (archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image - 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image - 20 ((archiv\$4 and (file adj system) and operations)) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat44 or interpret\$4) - 20 ((archiv\$4 and (file adj system)) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) - 39 (archiv\$4 and (file adj system)) near4 operation - 39 (archiv\$4 and (file adj system)) near4 operation - 40 (archiv\$4 and (file adj system)) near4 operations! - 50 ((archiv\$4 and (file adj system)) near4 operations! - 60 ((archiv\$4 and (file adj system)) near4 operations! - 70 ((archiv\$4 and (file adj system)) with operation and (filest same reformat\$4) and format\$4 and image - 80 ((archiv\$4 and (file adj system)) with operation) and (filest same reformat\$4) and format\$4 and image - 10 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 11 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 22 (((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 (((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 35 (((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 (((archiv\$4 and (file adj system)) with operation) and (convert\$4) and format\$4 and image - 35 (((archiv\$4 and (file adj system)) with operation) and (convert\$5) and file same reformat\$4) and format\$4 and image - 50 (((archiv\$4 and (file adj system)) with operation) and (convert\$5) and file same reformat\$4) and format\$4 and image - 70 ((((archiv\$4 and (file					
20				,	
same reformat\$4 and format44 and image - 20 (archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image - 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image - 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat44 or interpret\$4) - 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) - 39 (archiv\$4 and (file adj system)) near4 operation - 39 (archiv\$4 and (file adj system)) near4 operations! - 14 (archiv\$4 and (file adj system)) near4 operations! - 15 - 16 - 17 - 18 - 19 - 19 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	1.	0	(archiv\$4 and (file adi system) and operations!) and files!		2004/06/25 11:29
- 20 (archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image - 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat44 or interpret\$4) - 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) - 20 ((archiv\$4 and (file adj system)) near4 operation - 39 (archiv\$4 and (file adj system)) near4 operation - 14 (archiv\$4 and (file adj system)) near4 operations! - 15 ((archiv\$4 and (file adj system)) with operation - 16 ((archiv\$4 and (file adj system)) with operation) - 17 ((archiv\$4 and (file adj system)) with operation) - 18 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 3 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 3 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 3 ((archiv\$4 and (file adj system)) with operation) and (convert\$4) and format\$4 and image - 3 ((archiv\$4 and (file adj system)) with operation) and (convert\$4) and format\$4 and image - 3 ((archiv\$4 and (file adj system)) with operation) and (convert\$4) and format\$4 and image - 3 ((archiv\$4 and (file adj system)) with operation) and (convert\$4) and (conve					
Cerwent Cerw			, , , , , , , , , , , , , , , , , , ,		
20 (archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image USPAT; USPAT; USPGPUB; EPC; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPC; JPO; DERWENT; IBM_			·		
20 (archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image USPAT; USPAT; USPGPUB; EPC; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPC; JPO; DERWENT; IBM_				IBM TDB	
same reformat\$4 and format\$4 and image - 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat44 or interpret\$4) - 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) - 39 (archiv\$4 and (file adj system)) near4 operation - 39 (archiv\$4 and (file adj system)) near4 operation - 14 (archiv\$4 and (file adj system)) near4 operations! - 15 (archiv\$4 and (file adj system)) with operation - 16 (archiv\$4 and (file adj system)) with operation - 17 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data	-	• 20	(archiv\$4 and (file adj system) and operations!) and files!		2004/06/25 11:42
- 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat44 or interpret\$4) - 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) - 39 (archiv\$4 and (file adj system)) near4 operation - 39 (archiv\$4 and (file adj system)) near4 operation - 14 (archiv\$4 and (file adj system)) near4 operations! - 15 (archiv\$4 and (file adj system)) with operation - 16 (archiv\$4 and (file adj system)) with operation - 17 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image - 18 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 19 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4) and convert\$4 or conversion or translat\$4 or interpret\$4) near6 data - 35 (archiv\$4 and (file adj system)) with operation) and (convert\$4) and convert\$4 or conversion or translat\$4 or interpret\$4) near6 data				US-PGPUB;	
- 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat44 or interpret\$4) - 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) - 39 (archiv\$4 and (file adj system)) near4 operation - 39 (archiv\$4 and (file adj system)) near4 operation - 14 (archiv\$4 and (file adj system)) near4 operations! - 39 (archiv\$4 and (file adj system)) near4 operations! - 30 (archiv\$4 and (file adj system)) with operations! - 30 (archiv\$4 and (file adj system)) with operation - 31 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4) and (conv			•	EPO; JPO;	
20 ((archiv\$4 and (file adj system) and operations!) and files! same reformats44 and formats44 and image) and (convert\$4 or conversion or translat44 or interpret\$4) 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformats44 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) 20 ((archiv\$4 and (file adj system)) near4 operation 39 (archiv\$4 and (file adj system)) near4 operation 4 (archiv\$4 and (file adj system)) near4 operation 4 (archiv\$4 and (file adj system)) near4 operations! 5 (archiv\$4 and (file adj system)) near4 operations! 6 (archiv\$4 and (file adj system)) with operation 7 (archiv\$4 and (file adj system)) with operation 8 (archiv\$4 and (file adj system)) with operation 8 (archiv\$4 and (file adj system)) with operation 9 (archiv\$4 and (file adj system)) with operation and (files! same reformat\$4) and format\$4 and image 1 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 3 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 4 ((archiv\$4 and (file adj system)) with operation) and (convert\$4) or conversion or translat\$4 or interpret\$4) near6 data 5 (archiv\$4 and (file adj system)) with operation and (convert\$4) or conversion or translat\$4 or interpret\$4) near6 data					
same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat44 or interpret\$4) - 20 ((archiv\$4 and (file adj system) and operations!) and files! Same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) - 39 (archiv\$4 and (file adj system)) near4 operation - 14 (archiv\$4 and (file adj system)) near4 operations! - 14 (archiv\$4 and (file adj system)) near4 operations! - 15 (archiv\$4 and (file adj system)) with operation - 16 (archiv\$4 and (file adj system)) with operation - 17 ((archiv\$4 and (file adj system)) with operation) and (files! Same reformat\$4) and format\$4 and image - 18 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 19 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data - 2 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data				IBM_TDB	
conversion or translat44 or interpret\$4) [PO, JPC; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; ISM_TDB	-	20	((archiv\$4 and (file adj system) and operations!) and files!	USPAT;	2004/06/25 11:3
- 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) - 39 (archiv\$4 and (file adj system)) near4 operation - 14 (archiv\$4 and (file adj system)) near4 operation - 15 (archiv\$4 and (file adj system)) near4 operations! - 16 (archiv\$4 and (file adj system)) with operation - 17 ((archiv\$4 and (file adj system)) with operation) - 18 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4) usPAT; us-PGPUB; ePO; JPO; DERWENT; lBM_TDB us-PGPUB; ePO; JPO; DE				US-PGPUB;	
- 20 ((archiv\$4 and (file adj system) and operations!) and files! same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) - 39 (archiv\$4 and (file adj system)) near4 operation - 14 (archiv\$4 and (file adj system)) near4 operations! - 15 (archiv\$4 and (file adj system)) near4 operations! - 16 (archiv\$4 and (file adj system)) with operation - 17 ((archiv\$4 and (file adj system)) with operation - 18 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image - 18 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 19 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2004/06/25 - 2004/06/25 - 34 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2004/06/25 - 2004/06/25 - 2004/06/25 - 2004/06/25 - 2004/06/25 - 2004/06/25 - 2004/06/25 - 2004/06/25 - 2004/06/25 - 2004/06/25 - 2004/06/25 - 2004/06/25 - 2004/06/25 - 2004/06/25		-	conversion or translat44 or interpret\$4)	EPO; JPO;	
Carchiv\$4 and (file adj system) and operations!) and files! same reformat\$4 or conversion or translat\$4 or interpret\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DER				DERWENT;	
same reformat\$4 and format\$4 and image) and (convert\$4 or conversion or translat\$4 or interpret\$4) - 39 (archiv\$4 and (file adj system)) near4 operation - 14 (archiv\$4 and (file adj system)) near4 operations! - 15 - 16 (archiv\$4 and (file adj system)) near4 operations! - 17 (archiv\$4 and (file adj system)) with operation - 18 (archiv\$4 and (file adj system)) with operation - 19 (archiv\$4 and (file adj system)) with operation and (files! USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; U				IBM_TDB	
Conversion or translat\$4 or interpret\$4)	-	20		USPAT;	2004/06/25 11:3
- 39 (archiv\$4 and (file adj system)) near4 operation - 14 (archiv\$4 and (file adj system)) near4 operations! - 14 (archiv\$4 and (file adj system)) near4 operations! - 15 (archiv\$4 and (file adj system)) with operation - 16 (archiv\$4 and (file adj system)) with operation - 17 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image - 18 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 19 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 19 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 19 ((archiv\$4 and (file adj system)) with operation) and (convert\$4) usPAT; usPGPUB; EPO; JPO; DERWENT; lBM_TDB usPAT; usPGPUB; lPO; lPO; DERWENT; lBM_TDB usPAT; usPGPUB; lPO; lPO; lPO; lPO; lPO; lPO; lPO; lPO			same reformat\$4 and format\$4 and image) and (convert\$4 or	US-PGPUB;	
- 39 (archiv\$4 and (file adj system)) near4 operation - 14 (archiv\$4 and (file adj system)) near4 operations! - 14 (archiv\$4 and (file adj system)) near4 operations! - 15 (archiv\$4 and (file adj system)) with operation - 16 (archiv\$4 and (file adj system)) with operation - 17 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image - 18 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 19 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 19 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 19 ((archiv\$4 and (file adj system)) with operation) and (convert\$4) us.PGPUB; EPO; JPO; DERWENT; IBM_TDB us.PGPUB; EPO;			conversion or translat\$4 or interpret\$4)	EPO; JPO;	
- 39 (archiv\$4 and (file adj system)) near4 operation 14 (archiv\$4 and (file adj system)) near4 operations! 15 (archiv\$4 and (file adj system)) near4 operations! 16 (archiv\$4 and (file adj system)) with operation 17 (archiv\$4 and (file adj system)) with operation 18 (archiv\$4 and (file adj system)) with operation 19 (archiv\$4 and (file adj system)) with operation) and (files! Same reformat\$4) and format\$4 and image 10 (archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 20 (archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4) or conversion or translat\$4 or interpret\$4) near6 data 2004/06/25 2004/06/25					
US-PGPUB; EPC; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; U	<u> </u>				
- 14 (archiv\$4 and (file adj system)) near4 operations! EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO;	-	39	(archiv\$4 and (file adj system)) near4 operation		2004/06/25 11:3
- 14 (archiv\$4 and (file adj system)) near4 operations! - 84 (archiv\$4 and (file adj system)) with operation - 84 (archiv\$4 and (file adj system)) with operation - 1 ((archiv\$4 and (file adj system)) with operation) and (files! USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB					
- 14 (archiv\$4 and (file adj system)) near4 operations! - 84 (archiv\$4 and (file adj system)) with operation - 84 (archiv\$4 and (file adj system)) with operation - 1 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data 1					
- 14 (archiv\$4 and (file adj system)) near4 operations! USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISP-PGPUB; EPO;					
- 84 (archiv\$4 and (file adj system)) with operation - 1 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB					
- 84 (archiv\$4 and (file adj system)) with operation 1 ((archiv\$4 and (file adj system)) with operation) and (files!	-	14	(archiv\$4 and (file adj system)) near4 operations!		2004/06/25 11:3
- 84 (archiv\$4 and (file adj system)) with operation 1 ((archiv\$4 and (file adj system)) with operation) and (files! Same reformat\$4) and format\$4 and image 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
- 84 (archiv\$4 and (file adj system)) with operation 1 ((archiv\$4 and (file adj system)) with operation) and (files!	.				
- 84 (archiv\$4 and (file adj system)) with operation 1 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data 2 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data 2 (004/06/25 US-PGPUB; EPO; JPO; DERWENT;					
- US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERW		0.4	(arabive 4 and (file adi avatana)) with an aution		0004/00/05 44-0
- 1 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO;	-	04	(archiv\$4 and (file adj system)) with operation		2004/06/25 11:3
- 1 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image - 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data - 35 DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; IBM_					
- 1 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data BM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPO; JPO; DE					
- 1 ((archiv\$4 and (file adj system)) with operation) and (files! same reformat\$4) and format\$4 and image 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					1
same reformat\$4) and format\$4 and image US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	1_	1	((archiv\$4 and (file adj system)) with operation) and (files)		2004/06/25 11:30
- 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;		•			200-700/20 11.30
- 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;			, amo to the ty and formation and image		
- 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 2 ((archiv\$4 and (file adj system)) with operation) and (file same reformat\$4) and format\$4 and image - 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
reformat\$4) and format\$4 and image US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	2	((archiv\$4 and (file adj system)) with operation) and (file same		2004/06/25 11:3
- 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;		_	reformat\$4) and format\$4 and image	1	200 1100/20 11:05
- 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			, , , , , , , , , , , , , , , , , , , ,		
- 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 or conversion or translat\$4 or interpret\$4) near6 data IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 34 ((archiv\$4 and (file adj system)) with operation) and (convert\$4 USPAT; 2004/06/25 or conversion or translat\$4 or interpret\$4) near6 data US-PGPUB; EPO; JPO; DERWENT;					
or conversion or translat\$4 or interpret\$4) near6 data US-PGPUB; EPO; JPO; DERWENT;	-	34	((archiv\$4 and (file adj system)) with operation) and (convert\$4		2004/06/25 11:4
EPO; JPO; DERWENT;					
DERWENT;					
			,		
ו אומו ו				IBM_TDB	
	-	30	(((archiv\$4 and (file adj system)) with operation) and		2004/06/25 11:3
(convert\$4 or conversion or translat\$4 or interpret\$4) near6 US-PGPUB;					=55 1,55,25 11.5
data) and storage					
DERWENT;					
LIBM_TDB					

-	3	((((archiv\$4 and (file adj system)) with operation) and	USPAT;	2004/06/25 11:44
		(convert\$4 or conversion or translat\$4 or interpret\$4) near6	US-PGPUB;	
-		data) and storage) and files! and reformat\$4 and format\$4 and	EPO; JPO;	
		image	DERWENT;	,
			IBM_TDB	
-	17	((archiv\$4 and (file adj system)) with operation) and	USPAT;	2004/06/25 11:44
		((convert\$4 or conversion or translat\$4 or interpret\$4) near6	US-PGPUB;	
		data) same (storage or media)	EPO; JPO;	
		_	DERWENT;	
			IBM_TDB	
_	3	(((archiv\$4 and (file adj system)) with operation) and	USPAT;	2004/06/25 11:45
		((convert\$4 or conversion or translat\$4 or interpret\$4) near6	US-PGPUB;	
		data) same (storage or media)) and files! and reformat\$4 and	EPO; JPO;	
		format\$4 and image	DERWENT;	
			IBM TDB	

			/ T'==	I
L Number	Hits	Search Text	DB	Time stamp
	0	(((convert\$4 or conversion or translat\$4 or interpret\$4) near2	USPAT;	2004/06/25 12:58
	İ	data) near4 (extract\$4 or retriev\$4)) same ((different adj2	US-PGPUB;	
		(request\$3 or type)) and (different adj2 format))	EPO; JPO;	
		•	DERWENT; IBM_TDB	
2	2	((data near4 (extract\$4 or retriev\$4)) near9 (different adj	USPAT;	2004/06/25 13:01
2	_	(request\$4 or type))) same ((convert\$4 or conversion or	US-PGPUB;	2004/00/20 10:01
		translat\$4 or interpret\$4) near9 (different adj2 format))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	3	((data near4 (extract\$4 or retriev\$4)) near9 (different adj	USPAT;	2004/06/25 13:02
		(request\$4 or type))) and ((convert\$4 or conversion or	US-PGPUB;	
		translat\$4 or interpret\$4) near9 (different adj2 format))	EPO; JPO;	
	İ		DERWENT;	
		(100) (100) (100)	IBM_TDB	0004/00/05 40 05
4	35	((data near4 (extract\$4 or retriev\$4)) same (different adj	USPAT;	2004/06/25 13:05
		(request\$4 or type))) and ((convert\$4 or conversion or	US-PGPUB;	
		translat\$4 or interpret\$4) same (different adj2 format))	EPO; JPO; DERWENT;	
			IBM_TDB	
5	5	((data near4 (extract\$4 or retriev\$4)) same (different adj	USPAT;	2004/06/25 13:08
		(request\$4 or type))) and ((convert\$4 or conversion or	US-PGPUB;	
		translat\$4 or interpret\$4) same (different adj data adj format))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	1	(((data near4 (extract\$4 or retriev\$4)) same (different adj	USPAT;	2004/06/25 13:13
		(request\$4 or type))) and ((convert\$4 or conversion or	US-PGPUB;	,
		translat\$4 or interpret\$4) same (different adj data adj format))) and file adj system	EPO; JPO; DERWENT;	
		and the adj system	IBM_TDB	
8	1 1	(((data near4 (extract\$4 or retriev\$4)) same (different adj	USPAT;	2004/06/25 13:07
		(request\$4 or type))) and ((convert\$4 or conversion or	US-PGPUB;	
		translat\$4 or interpret\$4) same (different adj data adj format)))	EPO; JPO;	
		and archiv\$4	DERWENT;	
_	_	/// Language A / A - A A A A - A C - A A A A - A C - A A A A	IBM_TDB	0004/00/05 40 05
7	5	(((data near4 (extract\$4 or retriev\$4)) same (different adj	USPAT;	2004/06/25 13:07
		(request\$4 or type))) and ((convert\$4 or conversion or translat\$4 or interpret\$4) same (different adj data adj format)))	US-PGPUB; EPO; JPO;	
		and operating adj system	DERWENT:	
			IBM_TDB	
10	32	(data near9 (different adj (request\$4 or type))) and	USPAT;	2004/06/25 13:09
		((convert\$4 or conversion or translat\$4 or interpret\$4) near9	US-PGPUB;	
		(different adj data adj format))	EPO; JPO;	
			DERWENT;	
13	3	((((data near4 (extract\$4 or retriev\$4)) same (different adj	IBM_TDB USPAT;	2004/06/25 13:09
13		((((data field (extractor of fettlevoy)) same (different adj	US-PGPUB;	2004/06/25 15.09
		translat\$4 or interpret\$4) same (different adj2 format))) and	EPO; JPO;	
		((data adj storage) or (storage adj media))) and (((data near9	DERWENT;	
		(different adj (request\$4 or type))) and ((convert\$4 or	IBM_TDB	
		conversion or translat\$4 or interpret\$4) near9 (different adj		ĺ
		data adj format))) and ((data adj storage) or (storage adj		
11	23	media)))	LICDAT	2004/08/05 40:40
''	23	(((data near4 (extract\$4 or retriev\$4)) same (different adj (request\$4 or type))) and ((convert\$4 or conversion or	USPAT; US-PGPUB;	2004/06/25 13:10
		translat\$4 or interpret\$4) same (different adj2 format))) and	EPO; JPO;	
		((data adj storage) or (storage adj media))	DERWENT;	
		(, , , , , , , , , , , , , , , , , , ,	IBM_TDB	
14	1	((((data near4 (extract\$4 or retriev\$4)) same (different adj	USPAT;	2004/06/25 13:11
		(request\$4 or type))) and ((convert\$4 or conversion or	US-PGPUB;	
		translat\$4 or interpret\$4) same (different adj2 format))) and	EPO; JPO;	
		((data adj storage) or (storage adj media))) and (first and	DERWENT;	
L		second) adj3 routine	IBM_TDB	

			•	
15	1	(((data near9 (different adj (request\$4 or type))) and	USPAT;	2004/06/25 13:11
		((convert\$4 or conversion or translat\$4 or interpret\$4) near9	US-PGPUB;	
1		(different adj data adj format))) and ((data adj storage) or	EPO; JPO;	
		(storage adj media))) and (first and second) adj3 routine	DERWENT;	
			IBM_TDB	
16	1	(((===== (====== (====== (===== (======	USPAT;	2004/06/25 13:11
		(request\$4 or type))) and ((convert\$4 or conversion or	US-PGPUB;	
		translat\$4 or interpret\$4) same (different adj2 format))) and	EPO; JPO;	
		(first and second) adj3 routine	DERWENT;	
			IBM_TDB	
17	11	((((data near4 (extract\$4 or retriev\$4)) same (different adj	USPAT;	2004/06/25 13:15
		(request\$4 or type))) and ((convert\$4 or conversion or	US-PGPUB;	
		translat\$4 or interpret\$4) same (different adj2 format))) and	EPO; JPO;	
		((data adj storage) or (storage adj media))) and routine	DERWENT;	
40		//// A / / / / A / / A / / A / A / A /	IBM_TDB	
18	4	(((((aata iidai i (dittadit i di idiidit i)) daiid (diiloidit da)	USPAT;	2004/06/25 13:14
		(request\$4 or type))) and ((convert\$4 or conversion or	US-PGPUB;	
		translat\$4 or interpret\$4) same (different adj2 format))) and	EPO; JPO;	
		((data adj storage) or (storage adj media))) and routine) and	DERWENT;	
19		file adj system	IBM_TDB	
19	3	(((data near9 (different adj (request\$4 or type))) and	USPAT;	2004/06/25 13:14
		((convert\$4 or conversion or translat\$4 or interpret\$4) near9	US-PGPUB;	
		(different adj data adj format))) and ((data adj storage) or	EPO; JPO;	
		(storage adj media))) and file adj system	DERWENT;	
20	10	(((data near9 (different adj (request\$4 or type))) and	IBM_TDB	2004/00/05 42:45
20	10	((convert\$4 or conversion or translat\$4 or interpret\$4) near9	USPAT; US-PGPUB;	2004/06/25 13:15
		(different adj data adj format))) and ((data adj storage) or	EPO; JPO;	
		(storage adj media))) and routine	DERWENT:	
		(otorago aaj modia))) and rodine	IBM_TDB	
21	9	((data near9 (different adj (request\$4 or type))) and	USPAT;	2004/06/25 13:16
		((convert\$4 or conversion or translat\$4 or interpret\$4) near9	US-PGPUB;	2004/00/23 13.10
		(different adj data adj format))) and ((data adj storage) and	EPO; JPO;	
		(storage adj media))	DERWENT:	
		(gg	IBM TDB	
12	24	((data near9 (different adj (request\$4 or type))) and	USPAT;	2004/06/25 13:17
		((convert\$4 or conversion or translat\$4 or interpret\$4) near9	US-PGPUB;	2004/00/25 15.17
		(different adj data adj format))) and ((data adj storage) or	EPO; JPO;	
1		(storage adj media))	DERWENT:	
1		· • / //	IBM_TDB	
9	32	(data near9 (different adj (request\$4 or type)))and ((convert\$4	USPAT;	2004/06/25 13:23
		or conversion or translat\$4 or interpret\$4) near9 (different adj	US-PGPUB:	
		data adj format))	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1.,	9868	(storage near6 media) and ((plurality or multiple or muti) adj3 (format or media or storage)) and ((megnetic adj tape) or disk	USPAT; US-PGPUB;	2004/06/25 09:43
		or (optical adj drive))	EPO; JPO; DERWENT; IBM_TDB	
2	1	((storage near6 media) and ((plurality or multiple or muti) adj3 (format or media or storage)) and ((megnetic adj tape) or disk or (optical adj drive))) and ((copy adj (in/out or in-out)) or CYIO) and ((tape adj archive) or TAR)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/25 09:17
3	2	((copy adj (in/out or in-out)) or CYIO) and ((tape adj archive) or TAR)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/25 09:27
4	1447	((storage near6 media) and ((plurality or multiple or muti) adj3 (format or media or storage)) and ((megnetic adj tape) or disk or (optical adj drive))) and (700/\$.ccls. or 707/\$.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/25 09:31
5	22	(((storage near6 media) and ((plurality or multiple or muti) adj3 (format or media or storage)) and ((megnetic adj tape) or disk or (optical adj drive))) and (700/\$.ccls. or 707/\$.ccls.)) and (((copy adj (in/out or in-out)) or CYIO) or ((tape adj archive) or TAR))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 09:28
6	10	((((storage near6 media) and ((plurality or multiple or muti) adj3 (format or media or storage)) and ((megnetic adj tape) or disk or (optical adj drive))) and (700/\$.ccls. or 707/\$.ccls.)) and (((copy adj (in/out or in-out)) or CYIO) or ((tape adj archive) or TAR))) and storage adj format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 09:28
7	9632	(storage near6 media) and ((plurality or multiple or muti) adj3 (formats! or media or storage)) and ((megnetic adj tape) or disk or (optical adj drive))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/25 09:29
8	17011	(storage near6 media) and ((plurality or multiple or multi or different) adj3 (formats! or media or storage)) and ((megnetic adj tape) or disk or (optical adj drive))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/25 09:30
9	27	((storage near6 media) and ((plurality or multiple or multi or different) adj3 (formats! or media or storage)) and ((megnetic adj tape) or disk or (optical adj drive))) and (request adj types!)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/25 09:35
10	8	(((storage near6 media) and ((plurality or multiple or multi or different) adj3 (formats! or media or storage)) and ((megnetic adj tape) or disk or (optical adj drive))) and (request adj types!)) and (700/\$.ccls. or 707/\$.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 09:44
11	0	((storage near6 media) and ((plurality or multiple or multi or different) adj3 (formats! or media or storage)) and ((megnetic adj tape) or disk or (optical adj drive))) and (request adj types!) and (different adj formats!)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/25 09:36
12	13	(request adj types!) and (different adj formats!)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/25 09:37
13	32	(request adj types!) and (different adj2 formats!)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 09:42

				•	
	15	1	((storage near6 media) and ((plurality or multiple or muti) adj3 (format or media or storage)) and ((megnetic adj tape) or disk	USPAT; US-PGPUB;	2004/06/25 09:43
			or (optical adj drive))) and (disentangl\$4 same storage)	EPO; JPO; DERWENT; IBM_TDB	
	16	1	(disentangl\$4 same storage) and (700/\$.ccls. or 707/\$.ccls.)	USPAT; US-PGPUB;	2004/06/25 10:03
				EPO; JPO; DERWENT; IBM_TDB	
	17	28102	disentangl\$4and storage and formats! and types! and request\$3	USPAT; US-PGPUB; EPO; JPO;	2004/06/25 10:04
	18	1	(disentangl\$4and storage and formats! and types! and	DERWENT; IBM_TDB USPAT;	2004/06/25 10:03
	.5	'	request\$3) and disentangl\$4 same storage	US-PGPUB; EPO; JPO;	2004/00/20 10:00
	19	3988	(disentangl\$4and storage and formats! and types! and	DERWENT; IBM_TDB USPAT;	2004/06/25 10:04
			request\$3) and (700/\$.ccls. or 707/\$.ccls.)	US-PGPUB; EPO; JPO; DERWENT;	
	20	1	(disentangl\$4 same storage) and formats! and types! and request\$3	IBM_TDB USPAT; US-PGPUB;	2004/06/25 10:04
				EPO; JPO; DERWENT;	
•	21	2240	disentangl\$4	IBM_TDB USPAT; US-PGPUB;	2004/06/25 10:04
				EPO; JPO; DERWENT; IBM_TDB	
	22	8	disentangl\$4 and (700/\$.ccls. or 707/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO;	2004/06/25 10:04
	4.4	400		DERWENT; IBM_TDB	000 1/00/05 10 00
	14	102	disentangl\$4 same storage	USPAT; US-PGPUB; EPO; JPO;	2004/06/25 10:09
	23	24	disentangl\$4 and ((data adj storage) or (storage adj media))	DERWENT; IBM_TDB USPAT;	2004/06/25 10:09
	-	- '		US-PGPUB; EPO; JPO;	233-700/20 10.03
				DERWENT; IBM_TDB	